





Number:

GZHH00180121S3

Date:

Dec 30, 2015

This is to supersede Report No. GZHH00180121S2 dated Oct 08,

Sample Description:

Six (6) styles of submitted sample said to be :

Item Name

Remote Control Car Series

Labelled Age Group Applicant Specified Age Grading for Testing

Over 3 years

Packaging Provided by

Applicant

Yes

Country of Origin

China

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested sample Submitted samples

Standard Standard

EN71-1:2014 for mechanical and physical properties

Result

Pass

EN71 Part 2: 2011+A1:2014 Flammability test

Pass

Tested components of submitted samples

EN71-3:2013+A1:2014 for migration of certain elements

Pass

Approved:

Zhou Rui, Bin

CNAS Approved Signatory

Approved:

Joan Liu

CNAS Approved Signatory







Number:

GZHH00180121S3

Tests Conducted

1 Physical and Mechanical Tests

As per European Standard on Safety of toys EN71-1:2014

The submitted samples were undergone the following abuse tests:

 Test
 Clause
 Parameter

 Drop test
 8.5
 850 mm x 5 times

 Impact test
 8.7
 1 kg

| Clause | Testing Items | Assessment | | | |
|--------|--|------------|--|--|--|
| 4 | General requirements | | | | |
| 4.1 | Material | Р | | | |
| 4.2 | Assembly | NA | | | |
| 4.3 | Flexible plastic sheeting | NA | | | |
| 4.4 | Toy bags | NA | | | |
| 4.5_ | Glass | NA | | | |
| 4.6 | Expanding materials | NA | | | |
| 4.7 | Edges | Р | | | |
| 4.8 | Points and metallic wires | P | | | |
| 4.9 | Protruding parts | NA | | | |
| 4.10 | Parts moving against each other | Р | | | |
| 4.11 | Mouth actuated toys and other toys intended to be put in the mouth | NA | | | |
| 4.12 | Balloons | NA | | | |
| 4.13 | Cords of toy kites and other flying toys | NA | | | |
| 4.14 | Enclosures | NA | | | |
| 4.15 | Toys intended to bear the mass of a child | NA | | | |
| 4.16 | Heavy immobile toys | NA | | | |
| 4.17 | Projectiles | NA NA | | | |
| 4.18 | Aquatic toys and inflatable toys | NA | | | |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA | | | |
| 4.20 | Acoustics | NA | | | |
| 4.21 | Toys containing non-electrical heat source | NA | | | |
| 4.22 | Small balls | NA NA | | | |
| 4.23 | Magnets | NA | | | |
| 4.24 | Yo-yo balls | NA | | | |
| 4.25 | Toys attached to food | NA | | | |
| 5 | Toys intended for children under 36 months | • | | | |
| 5.1 | General requirements | NA | | | |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | NA | | | |
| 5.3 | Plastic sheeting | NA | | | |
| 5.4 | Cords, chains and electrical cables in toys | NA | | | |
| 5.5 | Liquid filled toys | NA | | | |
| 5.6 | Speed limitation of electrically-driven ride-on toys | NA | | | |
| 5.7 | Glass and porcelain | NA | | | |
| 5.8 | Shape and size of certain toys | NA | | | |







Number:

GZHH00180121S3

Tests Conducted

| Clause | Testing Items | Assessment | | | | | |
|--------|---|------------|--|--|--|--|--|
| 5.9 | Toys comprising monofilament fibres | | | | | | |
| 5.10 | Small balls | | | | | | |
| 5.11 | Play figures | | | | | | |
| 5.12 | Hemispheric-shaped toys | | | | | | |
| 5.13 | Suction cups | NA | | | | | |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA | | | | | |
| 6 | Packaging | NA | | | | | |
| 7 | Warnings, markings and instructions for use | | | | | | |
| 7.1 | General | Р | | | | | |
| 7.2 | Toys not intended for children under 36 months | P/# | | | | | |
| 7.3 | Latex balloons | NA | | | | | |
| 7.4 | Aquatic toys | NA | | | | | |
| 7.5 | Functional toys | NA | | | | | |
| 7.6 | Hazardous sharp functional edges and points | NA | | | | | |
| 7.7 | Projectiles | NA | | | | | |
| 7.8 | Imitation protective masks and helmets | NA | | | | | |
| 7.9 | Toy kites | NA | | | | | |
| 7.10 | Roller skates, inlineskates and skateboards | NA | | | | | |
| 7.11 | Toys intended to be attached to strung across a cradle, cot, or perambulator | NA | | | | | |
| 7.12 | Liquid-filled teethers | NA | | | | | |
| 7.13 | Percussion caps specifically designed for use in toys | NA | | | | | |
| 7.14 | Acoustics | NA | | | | | |
| 7.15 | Toy bicycles | NA | | | | | |
| 7.16 | Toys intended to bear the mass of a child | NA | | | | | |
| 7.17 | Toys comprising monofilament fibres | NA | | | | | |
| 7.18 | Toy scooters | | | | | | |
| 7.19 | Rocking horses and similar toys | | | | | | |
| 7.20 | Magnetic/electrical experimental sets | NA | | | | | |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA | | | | | |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA | | | | | |

Remark:

P = Pass

NA = Not Applicable

#=

Age warning statement, graphical symbol and the indication of hazard was found on the

packaging.

Page 3 of 9





Number:

GZHH00180121S3

Tests Conducted

Remark:

Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard

requirements:

1.Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name was on the packaging.

- Manufacturer's address was missed.

- Importer's name was on the packaging.

- Importer's address was on the packaging.

- Product identification code was on the packaging.

- CE marking was on the packaging and toy.

Date sample received : Testing period :

Jul 14, 2015 & Aug 12, 2015

rooting poriod :

Jul 14, 2015 to Aug 12, 2015

2 Flammability Test

As per European Standard on Safety of Toys EN71-2:2011+A1:2014

| Clause | Testing Items | Assessment |
|--------|---|------------|
| 4.1 | General | P |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft filled toys | NA NA |

Remark:

P = Pass

NA = Not Applicable

Date sample received:

Jul 14, 2015

Testing period:

Jul 14, 2015 to Jul 17, 2015









Number:

GZHH00180121S3

Tests Conducted

3 19 Toxic Element Migration Test

(A) Test Result

As per EN71-3:2013+A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

| Element | | Result | mg/kg) | | Limit |
|-------------------------|-------|----------|--------|-------|---------|
| | (1) | (2)to(3) | (4) | (5) | (mg/kg) |
| Aluminium (AI) | 1130 | < 300 | 4980 | 530 | 70000 |
| Antimony (Sb) | < 10 | < 10 | < 10 | < 10 | 560 |
| Arsenic (As) | < 10 | < 10 | < 10 | < 10 | 47 |
| Barium (Ba) | < 10 | < 10 | < 10 | < 10 | 18750 |
| Boron (B) | < 50 | < 50 | < 50 | < 50 | 15000 |
| Cadmium (Cd) | < 5 | < 5 | < 5 | < 5 | 17 |
| Chromium (III) (Cr III) | <10 | <10 | <10 | <10 | 460 |
| Chromium (VI) (Cr VI) | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.2 |
| Cobalt (Co) | < 10 | < 10 | < 10 | < 10 | 130 |
| Copper (Cu) | < 10 | < 10 | < 10 | 11 | 7700 |
| Lead (Pb) | < 10 | < 10 | < 10 | < 10 | 160 |
| Manganese (Mn) | < 10 | < 10 | < 10 | < 10 | 15000 |
| Mercury (Hg) | < 10 | < 10 | < 10 | < 10 | 94 |
| Nickel (Ni) | < 10 | < 10 | < 10 | < 10 | 930 |
| Selenium (Se) | < 10 | < 10 | < 10 | < 10 | 460 |
| Strontium (Sr) | < 100 | < 100 | < 100 | < 100 | 56000 |
| Tin (Sn) | < 10 | < 10 | < 10 | < 10 | 180000 |
| Organic tin ** | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 12 |
| Zinc (Zn) | 1840 | < 100 | < 100 | 1500 | 46000 |







Number:

GZHH00180121S3

Tests Conducted

| <u>Element</u> | Result (mg/kg) | | | | Limit |
|----------------------------|----------------|-------|-----------|-------|---------|
| | (6) | (7) | (9)to(23) | (24) | (ma/kg) |
| Aluminium (AI) | 578 | 2000 | < 300 | 337 | 70000 |
| Antimony (Sb) | < 10 | < 10 | < 10 | < 10 | 560 |
| Arsenic (As) | < 10 | < 10 | < 10 | < 10 | 47 |
| Barium (Ba) | < 10 | < 10 | < 10 | < 10 | 18750 |
| Boron (B) | < 50 | < 50 | < 50 | < 50 | 15000 |
| Cadmium (Cd) | < 5 | < 5 | < 5 | < 5 | 17 |
| Chromium (III) (Cr III) ** | <10 | <10 | <10 | <10 | 460 |
| Chromium (VI) (Cr VI) | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.2 |
| Cobait (Co) | < 10 | < 10 | < 10 | < 10 | 130 |
| Copper (Cu) | < 10 | < 10 | < 10 | < 10 | 7700 |
| Lead (Pb) | < 10 | < 10 | < 10 | < 10 | 160 |
| Manganese (Mn) | < 10 | < 10 | < 10 | < 10 | 15000 |
| Mercury (Hg) | < 10 | < 10 | < 10 | < 10 | 94 |
| Nickel (Ni) | < 10 | < 10 | < 10 | < 10 | 930 |
| Selenium (Se) | < 10 | < 10 | < 10 | < 10 | 460 |
| Strontium (Sr) | < 100 | < 100 | < 100 | < 100 | 56000 |
| Tin (Sn) | < 10 | < 10 | < 10 | < 10 | 180000 |
| Organic tin ** | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 12 |
| Zinc (Zn) | 2120 | < 100 | < 100 | < 100 | 46000 |

Remark : mg/kg = milligram per kilogram ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

- As per General Court of the European Union Judgment in Case T-198/12 dated 14 May 2014, the General Court confirmed that Germany could maintain its limit value for Lead(Pb)(90mg/kg) in toys but not for Antimony (Sb), Arsenic (As), Mercury (Hg) and Barium (Ba).

Tested Components:

- (1) Coatings(blue, black, white) on plastic(body car, remove control car, wheel) (sample weight: 74mg).
- Coatings(green, black) on plastic(wheel, body). (2)
- Coatings(red, black) on plastic(wheel, body). (3)
- Coatings(green, white, black, grey, metal green) on plastic(body). (4)
- Coatings(white, black, red) on plastic(body car, wheel). (5)
- Coatings(white, black, green) on plastic(body car, wheel). (6)
- Coatings(red, white, black, grey) on plastic(body). (7)
- (8) @Silver color wet paint(body).
- Transparent plastic excluding coatings(body, light). (9)
- Black plastic(remove control, body). (10)





Number:

GZHH00180121S3

Tests Conducted

Tested Components:

- (11) Blue plastic(remove control & body).
- (12) Red plastic(switch).
- (13) Green plastic(remove control of).
- (14) Bright black plastic(window).
- (15) Transparent red plastic(light).
- (16) Transparent dull red plastic(LED) (sample weight: 40mg).
- (17) Bright red plastic(remove control).
- (18) Red plastic(body).
- (19) Black plastic(tire of all style remove control).
- (20) Black plastic(tire of all style cars).
- (21) Black plastic with white printing(thick wire covering).
- (22) Black plastic (thin wire covering of car).
- (23) Red plastic (thin wire covering of car).
- (24) White paper with transparent plastic film and inaccessible coatings(label) (sample weight: 85mg).
- @: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.
- (B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Jul 14, 2015 & Aug 06, 2015

Testing period: Jul 14, 2015 & Jul 20, 2015 to Aug 07, 2015

Page 7 of 9







Number:

GZHH00180121S3

Tests Conducted

Appendix

Reference No.

HB-P1401、HB-P1402、HB-P1403、HB-P1404、HB-P1405、HB-P1406、
HB-P1407、HB-P1408、HB-P1409、HB-P1410、HB-P1401B、HB-P1402B、
HB-P1403B、HB-P1404B、HB-P1405B、HB-P1406B、HB-P1407B、
HB-P1408B、HB-P1409B、HB-P1410B、HB-P1801、HB-P1802、HB-P1803、
HB-P1804、HB-P1805、HB-P1806、HB-P1807、HB-P1808、HB-P1809、
HB-P1810、HB-P1801B、HB-P1802B、HB-P1803B、HB-P1804B、
HB-P1805B、HB-P1806B、HB-P1807B、HB-P1808B、HB-P1809B、
HB-P1810B、666-1501、666-1502、666-1503、666-1504、666-1505、

666-1506 \ 666-1507 \ 666-1508 \ 666-1509 \ 666-1510 \ 24498 \ 24497







Tests Conducted



GZHH00180121S3















End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Ref:

FC-150 (2545)

Date:

Dec 30, 2015

Re: Report Revision Notification

Intertek Testing Services Report Number GZHH00180121S2 Dated Oct 08, 2015

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now supersede by a revised Intertek Testing Services Report, GZHH00180121S3.

Thank you for your attention.

Authorized by: For Intertek Testing Services Shenzhen Ltd. Guangzhou Branch, Hardlines

Ben N.L. Lin

General Manager